

A.I.R. LABS, INC. CAPABILITIES LIST

| P/N           |           | DESCRIPTION              |
|---------------|-----------|--------------------------|
| 1/N-80-58     |           | TORQUE PRESS. IND.       |
| 1/N-80-59     |           | OIL PRESS. IND.          |
| 10059-A       |           | OIL PRESS. GAUGE         |
| 10061-1E-B1   |           | REMOTE COMPASS IND.      |
| 10062-1-B     |           | REMOTE COMPASS XMTR.     |
| 101450-31243  | AAU-32/A  | ENCODER ALT.             |
| 101720-01999  |           | ALTIMETER                |
| 102-0002-01   |           | ATTITUDE GYRO 28 VDC     |
| 10229-A-15    |           | ENG. GAUGE UNIT          |
| 10229-A-B     |           | ENG. GAUGE UNIT          |
| 10230-A       |           | PRESS. GAUGE             |
| 102630.00     |           | ATTITUDE IND.            |
| 10269-A       |           | FUEL PRESS. GAUGE        |
| 10284-A       |           | DUAL TEMP. IND.          |
| 103.00        |           | OIL PRESS. GAUGE         |
| 10322-A       | AN5773-1  | ENG. GAUGE UNIT          |
| 10450-3190    | AAU-27/A  | 50K FT. ALT.             |
| 10632-A       |           | PRESS. GAUGE 2000 PSI    |
| 10638-A       |           | ENG. GAUGE UNIT          |
| 10648-A       |           | PRESS. GAUGE             |
| 10735-A       |           | ENG. GAUGE UNIT          |
| 109090.00     |           | ATTITUDE IND.            |
| 10962.00      |           | FREQUENCY SENSOR         |
| 11-1002-1     |           | AIRSPEED IND. MPH & KTS  |
| 112164.00     | AN57B0T3  | WHL. & FLAP POS. IND.    |
| 112234-1      | AAU-24/A  | ALTIMETER                |
| 117410.00     |           | ATTITUDE DIR. IND.       |
| 118769-01     |           | ATTITUDE IND.            |
| 118930-01-23  |           | REMOTE ATTITUDE IND.     |
| 11964-A       |           | OIL PRESS. GAUGE 150 PSI |
| 12-1100-4     |           | AMMETER                  |
| 12-3004-1     |           | VOLTAMMETER              |
| 12-34A        |           | PRESS. GAUGE             |
| 12-2004-2     |           | VOLTAMMETER              |
| 1205852B      |           | AMMETER                  |
| 1214BX-8-05   |           | AIRSPEED IND.            |
| 1214CX-8-05   |           | AIRSPEED IND.            |
| 1214DX-8-05   |           | AIRSPEED IND.            |
| 1254346-0006  |           | SYNCRO & PINION ASSY.    |
| 126460.00     |           | HIS IND.                 |
| 12882-A       | AN5771-4B | HYD. PRESS. GAUGE        |
| 12882-A1      | MS28061T6 | HYD. PRESS. GAUGE        |
| 1296U-35-0210 |           | AIRSPEED IND. 0-400 KTS  |
| 1296U-4-02060 |           | AIRSPEED IND. 400 KTS    |
| 1296U-4-0218  | MS28021-1 | AIRSPEED IND.            |
| 1300A-C1A-1A2 |           | FLAP POS. IND.           |
| 13485-A1      | MS28061T7 | PRESS. GAUGE             |
| 135-200-3     |           | AIRSPEED IND. 200 MPH    |

|                  |            |                               |
|------------------|------------|-------------------------------|
| 135244.00        | AN3203V30  | VOLTMETER                     |
| 135801.00        |            | AC AMMETER 0-100 AMPS         |
| 137660.00        |            | TEMP. IND.                    |
| 137661.00        |            | TEMP. IND.                    |
| 1389X-5-01       |            | AIRSPEED IND. 200 MPH         |
| 13A1150          |            | SERVOED IND.                  |
| 140314.00        | ID351A/ARN | COURSE IND.                   |
| 1426-12H-B1      |            | AIRSPEED IND. 0-300 MPH       |
| 1426-12W-51      |            | AIRSPEED IND.                 |
| 1426-1AE-A1      |            | AIRSPEED IND.                 |
| 1426-1Z-A1       |            | AIRSPEED IND.                 |
| 1426-37A-A6      |            | AIRSPEED IND. 700 MPH         |
| 1426-37H-A6      |            | AIRSPEED IND. 0-700 MPH       |
| 1426-43F-B1      |            | AIRSPEED IND. 0-700 MPH       |
| 1426-43F-B6      |            | AIRSPEED IND.                 |
| 1426-47B-B17     |            | AIRSPEED IND.                 |
| 1426-4T-A10      |            | AIRSPEED IND.                 |
| 1426-4W-A10      |            | AIRSPEED IND. 500 MPH         |
| 1429-01/850856-1 |            | MAX ALLOWABLE AIRSPEED IND.   |
| 1432-22B-A-A1    |            | AIRSPEED IND. 50-650 KTS      |
| 1451-51C-A51-1   |            | AIRSPEED MACH NO. IND.        |
| 1454-62A-A62-1   |            | AIRSPEED IND.                 |
| 14546A           |            | MAN. BLEED GAUGE              |
| 146-20-6         |            | ALTIMETER 20K FT.             |
| 146-20S-6        |            | ALTIMETER 20K FT.             |
| 14602-1J-A1      |            | ATTITUDE IND.                 |
| 14602-1J-B1      |            | ATTITUDE IND.                 |
| 14602-1J-C1      |            | ATTITUDE IND.                 |
| 14602-1J-D1      |            | ATTITUDE IND.                 |
| 14602-1J-F1      |            | ATTITUDE IND.                 |
| 14607-1S-A1      |            | ATTITUDE IND.                 |
| 14608-1AP-B1     |            | GYRO HORIZON IND.             |
| 14608-1AZ-B1     |            | GYRO HORIZON IND.             |
| 14609-1AWC-1     | MB-1       | GYRO HORIZON IND.             |
| 14609-1S-A1      |            | GYRO HORIZON IND.             |
| 14609-1S-B1      |            | ATTITUDE IND.                 |
| 14609-1S-C1      |            | GYRO HORIZON IND.             |
| 14609-AWC1       |            | GYRO HORIZON IND.             |
| 14613-1AK-A4     |            | ATTITUDE IND.                 |
| 1463-55F-855-4   | AVU-8C/A   | AIRSPEED IND.                 |
| 147B30A          |            | CYL. HEAD TEMP. IND. -50-+50C |
| 147B31A          |            | OIL TEMP. IND. -70-150C       |
| 147B32A          |            | TEMP. IND.                    |
| 147B32C          |            | TEMP. IND.                    |
| 1492060-1        |            | MECHANISM ASSY.               |
| 152B22           |            | TEMP. IND.                    |
| 1536-2B-B        |            | ALTIMETER 35K 6 O'CLOCK KNOB  |
| 1558C-041040     |            | OIL PRESS. IND.               |
| 156578-01-01     |            | ATTITUDE IND.                 |
| 1583-20-A        |            | ALTIMETER 20K FT.             |
| 1587-9A1-A1      |            | ALTIMETER 20K FT.             |
| 1612-189630-1    |            | FUEL QTY.TANK UNIT            |

|               |               |                               |
|---------------|---------------|-------------------------------|
| 161B6         |               | TEMP. IND.                    |
| 162-050-305   |               | FUEL QTY. IND.                |
| 1625-1Q-C1    |               | RATE OF CLIMB IND.            |
| 162B2D        |               | TEMP. IND.                    |
| 1634-1AG-B1   |               | RATE OF CLIMB IND. 2K FPM     |
| 1636-6A-B1    |               | RATE OF CLIMB IND.            |
| 1636-6H-B1    |               | RATE OF CLIMB IND. 0-6000 FPM |
| 164-1         | GMU37/A       | O2 QTY. IND.                  |
| 1644-6N-A1    |               | RATE OF CLIMB IND.            |
| 1646-6S-A2    | AN5825-6      | RATE OF CLIMB IND.            |
| 1646-6T-A2-1  |               | RATE OF CLIMB IND.            |
| 1648-6U-A6-1  |               | RATE OF CLIMB IND.            |
| 17-112        |               | REMOTE COMPASS XMTR.          |
| 17-115        |               | REMOTE COMPASS IND.           |
| 17-1786       | MS28131-18T   | PRESS. XMTR.                  |
| 1701CX-8-04   |               | AIRSPEED IND.                 |
| 1701DX-4-04   |               | MAX ALLOWABLE AIRSPEED IND.   |
| 1701DX-8-04   |               | AIRSPEED IND.                 |
| 1718-2S-A2    |               | TURN & BANK IND.              |
| 1721-2U-A2T   |               | TURN & BANK IND.              |
| 1722-2AD-A2   |               | TURN & BANK IND.              |
| 1722-2AD-B2   |               | TURN & BANK IND.              |
| 1722-2AL-B2   |               | TURN & BANK IND.              |
| 1739-2BD-A2-2 |               | TURN & BANK IND.              |
| 1775277.00    |               | FLUX VALVE XMTR.              |
| 1780109.00    |               | FLUX VALVE                    |
| 1780595.00    |               | COMPENSATOR                   |
| 17B502A       |               | TEMP. IND.                    |
| 18-1111       |               | FUEL FLOW IND.                |
| 18-1145       |               | SYNCRO RECEIVER               |
| 18-1145-01    |               | SYNCRO RECEIVER               |
| 18-1153       |               | OIL PRESS. IND.               |
| 18-1169       |               | PRESS. IND.                   |
| 18-1530       |               | OIL PRESS. IND. DUAL          |
| 18-1704       |               | PRESS. XMTR.                  |
| 18-1724       |               | PRESS. XMTR.                  |
| 18-1732-1     | 212-070-180-3 | COURSE IND.                   |
| 18-1814       |               | PRESS. XMTR.                  |
| 18-2000-01    |               | SYNCRO RECEIVER               |
| 18-2051       |               | PRESS. IND.                   |
| 18-3108-2     | MS28131-8T    | PRESS. XMTR.                  |
| 18-3110-2     | MS28131-10T   | PRESS. XMTR.                  |
| 18-3118-2     |               | PRESS. XMTR.                  |
| 1818-1-A      |               | COMPASS                       |
| 1822-1-C      |               | COMPASS                       |
| 184-012H      |               | AMP                           |
| 1845LU-4-02   |               | ALTIMETER 35K FT.             |
| 1845X-4-03    |               | ALTIMETER                     |
| 1846-4-01     |               | ALTIMETER 35K FT.             |
| 1846X-4-01    |               | ALTIMETER 35K FT.             |
| 189906.00     |               | COURSE IND.                   |
| 19039.00      |               | TORQUE PRESS. GAUGE           |

|                   |                 |                              |
|-------------------|-----------------|------------------------------|
| 195-11N12         |                 | ENG. GAUGE UNIT              |
| 195-1SC112        |                 | ENG. GAUGE UNIT              |
| 195-1SN112        |                 | ENG. GAUGE UNIT              |
| 195-1TN112        |                 | ENG. GAUGE UNIT              |
| 195-7SN112        |                 | ENG. GAUGE UNIT              |
| 195-OSC422-2      |                 | ENG. GAUGE UNIT              |
| 196716.00         | 276000-001      | BDH IND.                     |
| 19A437            |                 | FUEL FLOW IND.               |
| 1U149-001-5       |                 | ATTITUDE GYRO IND. VAC       |
| 1U150-003-3       |                 | DIR. GYRO IND.               |
| 20-250D           |                 | TURN & BANK IND.             |
| 20025-0324        |                 | AIRSPEED IND. 0-250 KTS      |
| 200A              | AN5771-5A       | SUCTION GAUGE                |
| 200B              |                 | SUCTION GAUGE                |
| 200C              | AN5771-5        | SUCTION GAUGE                |
| 200DC(28)         |                 | DIR. GYRO                    |
| 201-1A6K          |                 | TEMP. IND.                   |
| 203-022-007       | 76450-01078-124 | ENG. OIL TEMP./PRESS.        |
| 204-040-376-3     |                 | PRESS. SWITCH                |
| 204-062-542-3     |                 | GAUGE PRESS. SWITCH          |
| 204A-1A5K         |                 | TEMP. IND.                   |
| 205BKX-050        |                 | ALTIMETER 20K FT.            |
| 206-070-266-9     |                 | TACH IND.                    |
| 206-075-185-1     |                 | TORQUE GAUGE                 |
| 206-075-189-1     |                 | FUEL QTY. IND.               |
| 206-075-677-101   |                 | TEMP./PRESS. IND             |
| 206-075-678-101   |                 | TEMP./PRESS. IND             |
| 21-1000-7         |                 | MANIFOLD/FUEL FLOW IND.      |
| 211C228-2         |                 | HYD. PRESS. SWITCH           |
| 217-01161         |                 | TORQUE PRESS. IND.           |
| 217A-60A          |                 | TORQUE PRESS. IND.           |
| 21B301-1          |                 | MAN. & FUEL PRESS. IND.      |
| 22-260-020        |                 | DUAL MAN. PRESS. GAUGE       |
| 22-262-017        |                 | MAN. PRESS. & FUEL FLOW IND. |
| 22-304-04         |                 | TOT TEMP. IND.               |
| 22-695-044        |                 | AIRSPEED IND. 0-300 MPH      |
| 22-696-017        |                 | AIRSPEED IND.                |
| 22-802-023        | 50-380012-25    | ENG. GAUGE UNIT              |
| 22-869-033A       |                 | FUEL FLOW IND.               |
| 22-977-02         |                 | ALTIMETER 20K FT.            |
| 22-980            |                 | ALTIMETER 20K FT.            |
| 22105-25-A5-1     |                 | TORQUE PRESS. XMTR.          |
| 22A649            |                 | TACH. GENERATOR              |
| 22A703            | GEU-7/A         | TACH. GENERATOR              |
| 23-501-015        |                 | ATTITUDE GYRO IND.           |
| 23-501-019        |                 | GYRO HORIZON IND.            |
| 24836-0           |                 | TACH IND.                    |
| 25101-A37B-1-B1   | MS28010-5       | PRESS. IND.                  |
| 25122-A37R-2-A2   |                 | AUTOSYN IND.                 |
| 25200-A15B-1-1-A1 |                 | MULTIPURPOSE PRESS. IND.     |
| 253608.00         |                 | TEMP. IND.                   |
| 25615-C27A-26-A1  |                 | PRESS. IND.                  |

|                |                 |                             |
|----------------|-----------------|-----------------------------|
| 25641A30J80A3  |                 | DUAL OIL PRESS. IND.        |
| 2585726.00     |                 | REMOTE COMPASS XMTR.        |
| 2586333-3      |                 | DIR. GYRO                   |
| 2593379-1      |                 | REMOTE COMPENSATOR          |
| 27-1000-1      |                 | MANIFOLD PRESS. GUAGE       |
| 27-1004-1      |                 | MANIFOLD PRESS. GUAGE       |
| 27-2000-5      |                 | DUALMANIFOLD PRESS. GUAGE   |
| 27-66108-005   |                 | TORQUE IND.                 |
| 273-1TC132     |                 | ENG. GAUGE UNIT             |
| 29316-4L-C1    |                 | LO2 IND.                    |
| 29317-13B-B2   |                 | LO2 QTY. IND.               |
| 29846-306      |                 | MAX ALLOWABLE AIRSPEED IND. |
| 2CM7AAN        |                 | TACH GEN.                   |
| 2CM9AAA2       |                 | TACH GEN.                   |
| 2CM9AAA6       |                 | TACH GEN.                   |
| 2CM9AAH4       |                 | TACH GEN.                   |
| 2CM9ACF-8      |                 | TACH GEN.                   |
| 2CM9ADE8       |                 | TACH GEN.                   |
| 3-331-10       |                 | 10-130 PSI OIL PRESS GUAGE  |
| 3100-2001      |                 | OIL PRESS IND.              |
| 3124-1-A-10    |                 | VACUUM WARNING UNIT         |
| 3124-1-A-30    |                 | VACUUM WARNING SWITCH       |
| 318-00020      |                 | TORQUE PRESS XMTR OHC       |
| 31832.00       |                 | DUAL MAN PRESS GUAGE        |
| 31834-34ALR    |                 | DUAL MANIFOLD PRESS GUAGE   |
| 32005-002      |                 | TACH GEN.                   |
| 32164-000      |                 | TACH GEN.                   |
| 3252010-1101   |                 | ALTIMETER 50K FT            |
| 3252022-0101   |                 | ALTIMETER SERVOED           |
| 33349.00       | AN5790-6        | TEMP IND                    |
| 33351.00       |                 | ENGINE GAUGE UNIT           |
| 33724.00       | AN5795T6A       | DUAL TEMP. IND.             |
| 34102C2B3-2D1  | MS21971-1       | PERCENT TACHOMETER IND.     |
| 3563110-2000   |                 | SYNCR0 TRANSMITTER          |
| 3567724-3003   |                 | PRESSURE XMTR               |
| 3571112-9001   |                 | PRESSURE IND.               |
| 3571212-0056   |                 | FUEL PRESS IND.             |
| 3571220-5001   |                 | DUAL AUTOSYN IND.           |
| 3571251-9131   | 212-075-067-105 | TEMP IND.                   |
| 3571261-8101   |                 | PERCENT TACHOMETER IND.     |
| 3571281-8102   |                 | TACHOMETER IND.             |
| 36104-1L-11-A1 | ID250           | COURSE IND.                 |
| 369A4516-7     |                 | PERCENT TACHOMETER IND.     |
| 369A4521-5     |                 | T.O.T TEMP IND.             |
| 369A4521-7     |                 | TEMP IND.                   |
| 369A4521-7     | 5006-1038       | TEMP IND.                   |
| 371K-05        |                 | ALTIMETER 20K FT.           |
| 371P-4-01      |                 | ALTIMETER 35K FT.           |
| 37415-275      |                 | FUEL QTY IND.               |
| 37415-276      |                 | FUEL QTY IND.               |
| 37415-277      |                 | FUEL QTY IND.               |
| 37415-278      |                 | FUEL QTY IND.               |

|               |                 |                                   |
|---------------|-----------------|-----------------------------------|
| 393004-01409  |                 | FUEL QTY IND.                     |
| 393085-43708  |                 | FUEL QTY IND.                     |
| 3935-2        |                 | TURN & SLIP IND.                  |
| 4000B-7       |                 | DIR. GYRO IND.                    |
| 4050-4-B4     |                 | FUEL PRESS XMTR                   |
| 41-507-2      |                 | FUEL QTY IND.                     |
| 4150-3-B3     |                 | PRESSURE TRANSMITTER              |
| 4515210003.00 | AAU-32/A        | ALTIMETER                         |
| 4515210103.00 | AAU-32/A        | ALTIMETER                         |
| 4770.00       |                 | TACHOMETER IND.                   |
| 47B38P2       |                 | FREE AIR TEMP IND.                |
| 50-880011-17  |                 | MANIFOLD PRESS. GAUGE             |
| 5006-1038     |                 | TEMP IND.                         |
| 501-1131-02   |                 | ATTITUDE IND.                     |
| 501-1152-01   | AI-903L         | ATTITUDE IND.                     |
| 501-1153-01   |                 | ATTITUDE IND.                     |
| 504-0017-901  |                 | ATTITUDE IND.                     |
| 51122-035     |                 | DUAL TACH IND.                    |
| 51565-000R    |                 | DC VOLTAGE REGULATOR              |
| 559-1         |                 | POSITION XMTR                     |
| 5707-3025     | 206-075-189-101 | FUEL QTY IND.                     |
| 586CK-1-0197  |                 | AIRSPPEED IND. CAL FOR CESSNA 195 |
| 5934A-A69     |                 | ALTIMETER 20K FT.                 |
| 5934P-1       |                 | ALTIMETER 20K FT.                 |
| 5934PA-1-A69  |                 | ALTIMETER 35K FT.                 |
| 6000-D10      | C662035-0102    | MANIFOLD PRESS GAUGE              |
| 6007-38B-7A   |                 | FUEL FLOW IND.                    |
| 602894-A      |                 | SYNCRO RECEIVER                   |
| 6122-E2       |                 | MANIFOLD PRESS GAUGE, DUAL        |
| 613937.00     |                 | GYRO HORIZON IND.                 |
| 6200-MOD25    |                 | LOAD CELL IND.                    |
| 6200-MOD40    |                 | LOAD CELL IND.                    |
| 620359.00     |                 | MAGNETIC AZIMUTH DETECTOR         |
| 6300-A9B-2-A1 |                 | AUTOSYN IND.                      |
| 6300-B4B-14A1 |                 | FUEL FLOW IND.                    |
| 6331H.81      |                 | MANIFOLD/FUEL PRESS IND.          |
| 646040.00     |                 | GYRO HORIZON IND.                 |
| 646050.00     | AN5735-1        | DIRECTIONAL GYRO IND              |
| 6502-3031     | 206-070-265-11  | DUAL TACH IND.                    |
| 653278.00     |                 | AMPLIFIER                         |
| 656520.00     |                 | FLUX VALVE XMTR.                  |
| 656767.00     |                 | COMPENSATOR                       |
| 664543.00     |                 | FLUX VALVE XMTR.                  |
| 6704-152      | AN5771-5        | SUCTION GAUGE                     |
| 671-50P-1     |                 | ALTIMETER 20K FT.                 |
| 671-CLU4-035  |                 | ALTIMETER 35K FT.                 |
| 671BK-010     |                 | ALTIMETER 30K FT.                 |
| 671BU-010     |                 | ALTIMETER 30K FT.                 |
| 671CK-010     |                 | ALTIMETER 35K FT.                 |
| 671CLU-4-035  |                 | ALTIMETER 20K FT.                 |
| 671CP-18-01   |                 | ALTIMETER 35K FT.                 |
| 671CP-50B-1   |                 | ALTIMETER 20K FT.                 |

|                |             |                             |
|----------------|-------------|-----------------------------|
| 671CPX         |             | ALTIMETER 35K FT.           |
| 671CPX-10-051  |             | ALTIMETER 35K FT.           |
| 671CPX-3-051   |             | ALTIMETER 35K FT.           |
| 671CPX-4-030M  |             | ALTIMETER 30K FT.           |
| 671CPX-4-037   |             | ALTIMETER 35K FT.           |
| 671K-010       |             | ALTIMETER 35K FT.           |
| 6748-157       |             | MANIFOLD PRESS GAUGE.       |
| 6800-C1C-44-A2 |             | DUAL PRESS IND.             |
| 6800A          |             | FUEL PRESS SIGNAL ASSY      |
| 682440.00      |             | AMPLIFIER                   |
| 685807.00      |             | FLUX VALVE XMTR.            |
| 7060.00        |             | VERTICAL SPEED IND.         |
| 709K-01        |             | ALTIMETER 35K FT.           |
| 716BU-8-036    |             | RATE OF CLIMB IND.          |
| 728BK-3-02     |             | DUAL MANIFOLD PRESS GAUGE   |
| 728FU-10-04    |             | MANIFOLD PRESS GAUGE DUAL   |
| 739830.00      |             | SYNCRO RECEIVER             |
| 739CX-8-015    |             | AIRSPEED IND. 50-650 KTS    |
| 739DX-4-056    |             | AIRSPEED IND. 50-650 KTS    |
| 739U-03        |             | AIRSPEED IND. 6501 KTS      |
| 751CK-02       |             | DUAL TACH IND.              |
| 7600-23A8-1A   |             | PRESSURE XMTR               |
| 7609-29-C5-1   |             | PRESSURE XMTR               |
| 7609-37M5-2    | MS28005-B   | PRESSURE XMTR               |
| 7617-23-A8-1   | MS28130-16  | PRESSURE XMTR               |
| 76AT3B         |             | DUAL TEMP. IND.             |
| 76B3           |             | TEMP IND.                   |
| 76B711         |             | DUAL TEMP. IND.             |
| 7707-111A25-1  |             | PRESSURE XMTR               |
| 7707-30-C5-1   |             | PRESSURE XMTR               |
| 7709-15-B5-1   |             | PRESSURE XMTR               |
| 771K-03        |             | TACH IND.                   |
| 7724-30-C5-1   |             | OIL PRESSURE XMTR.          |
| 7742-30A5-1    |             | PRESSURE XMTR               |
| 7742-47A5-1    | MS28131-10T | PRESSURE XMTR               |
| 7745-17A5-1    |             | PRESSURE XMTR               |
| 774G-01        |             | TACH GEN.                   |
| 8100-B155      |             | TRUE AIRSPEED IND.          |
| 8125.00        |             | AIRSPEED IND.               |
| 8125-C195A     |             | AIRSPEED IND.               |
| 827-T9         |             | DUAL TEMP. IND.             |
| 831-11H        |             | VOLTMETER                   |
| 840-78         |             | VALVE POS IND.              |
| 86410-3        |             | HYD. PRESS. SWITCH          |
| 86425-4        |             | PRESSURE IND.               |
| 865FNU-4-047   |             | MAX ALLOWABLE AIRSPEED IND. |
| 865FNU-8-032   |             | AIRSPEED IND.               |
| 865FU-8-031    |             | MAX ALLOWABLE AIRSPEED IND. |
| 865FU-8-042    |             | MAX ALLOWABLE AIRSPEED IND. |
| 8AW61LAL3      |             | AC FAULT IND.               |
| 8DJ11PEA11     |             | FLAP POS IND.               |
| 8DJ12GAV50     |             | FLAP POS IND.               |

|             |                 |                            |
|-------------|-----------------|----------------------------|
| 8DJ12PBR12  |                 | FLAP POS IND.              |
| 8DJ13AAS23  |                 | TACHOMETER IND.            |
| 8DJ13ACX27  |                 | TACHOMETER IND.            |
| 8DJ13ADX27  |                 | TACHOMETER IND. 0-4500 RPM |
| 8DJ13ADX28  |                 | TACHOMETER IND. 0-4500 RPM |
| 8DJ13AFF28  |                 | TACHOMETER IND.            |
| 8DJ150FAE1  |                 | DUAL TACH IND.             |
| 8DJ19AAW2   |                 | DUAL TACH IND.             |
| 8DJ19AAX2   |                 | DUAL TACH IND.             |
| 8DJ19ACA2   |                 | DUAL TACH IND.             |
| 8DJ23AAC2   |                 | TEMP IND.                  |
| 8DJ26AAA1   | AN5780-3        | WHEEL & FLAP POS IND.      |
| 8DJ26AAA2   | AN5780-3        | WHEEL & FLAP POS IND.      |
| 8DJ26AAA50  |                 | WHEEL & FLAP POS IND.      |
| 8DJ26AAA51  |                 | WHEEL & FLAP POS IND.      |
| 8DJ26AAH51  |                 | WHEEL & FLAP POS IND.      |
| 8DJ26AAK51  |                 | WHEEL & FLAP POS IND.      |
| 8DJ48CAB1   |                 | POSITION IND.              |
| 8DJ48CAD1   |                 | FLAP POS IND.              |
| 8DJ49GAM2   |                 | POSITION IND.              |
| 8DJ49GCM2   |                 | POSITION IND.              |
| 8DJ57GAB1   |                 | SENSITIVE TECH IND.        |
| 8DJ67FAB-1  |                 | DUAL TACH IND.             |
| 8DJ67FBC1   | 204-070-155-001 | DUAL TACH IND.             |
| 8DJ67FCW1   |                 | DUAL TACH IND.             |
| 8DJ81CAA4   |                 | PERCENT TACHOMETER IND.    |
| 8DJ81CBD4   |                 | TACHOMETER IND.            |
| 8DJ81CDZ4   |                 | PERCENT TACHOMETER IND.    |
| 8DJ81LAA2   |                 | PERCENT TACHOMETER IND.    |
| 8DJ82CAE1   |                 | TACHOMETER IND.            |
| 8GA1AA1     |                 | ENGINE GAUGE UNIT          |
| 8GA1AA4     |                 | ENGINE GAUGE UNIT          |
| 8GA1AAC1    |                 | ENGINE GAUGE UNIT          |
| 8GA1AAC5    |                 | ENGINE GAUGE UNIT          |
| 8TJ17AJZ2   |                 | TANK UNIT                  |
| 8TJ19AAH2   |                 | POSITION IND.              |
| 8TJ19AAK-1  | AN5785-1        | POSITION XMTR              |
| 8TJ39AAT2   |                 | POSITION XMTR              |
| 8TJ55AAB1   |                 | POSITION XMTR              |
| 8TJ9PAV40   |                 | POSITION TRANSMITTER       |
| 8TJ9PFF44   | AN5786-1        | POSITION IND.              |
| 9009-3003   |                 | DUAL ENGINE IND.           |
| 90702.00    |                 | LOAD METER                 |
| 940U-03     |                 | ALTIMETER 20K FT.          |
| 96-380015-5 |                 | FUEL FLOW IND.             |
| 98000A      |                 | PRESS XMTR                 |
| 9813-25-17  | 212-070-160-101 | DUAL TORQUE IND.           |
| 9813-25-21  | 412-075-008-111 | DUAL TORQUE IND.           |
| 987-10-031  |                 | ALTIMETER                  |
| A1050       |                 | TURN & SLIP IND.           |
| A1600       | MS28024-3       | TURN & BANK IND.           |
| A1605       | MS28041         | TURN & SLIP IND.           |



|                  |            |                           |
|------------------|------------|---------------------------|
| A1620            |            | TURN & SLIP IND.          |
| A1620-03         |            | TURN & SLIP IND.          |
| A2460            |            | TRU-2A/A RATE GYRO        |
| A2850-5          |            | TRU-2A/A RATE GYRO        |
| A2850-9          |            | RATE GYRO XMTR.           |
| A31191-10-701    |            | MACH NO. XMTR             |
| A35-AAU-8A       |            | ALTIMETER 35K FT.         |
| A35-AAU-8A/AF    |            | ALTIMETER 35K FT.         |
| A40179-10-028    |            | ALTIMETER 50K FT          |
| A41322-10-003    | AAU-19/A   | ALTIMETER SERVOED         |
| A80-AAU-8A/A     |            | 80K FT ALT.               |
| AAU-19/A         |            | ALTIMETER SERVOED         |
| AAU-31/A         |            | ALTIMETER 50K FT          |
| AC-102           | AN5860-T2  | AIRSPD IND.               |
| AC-130           | MA28021-1  | AIRSPD IND.               |
| AC-130-8         | MS28021-1  | AIRSPD IND.               |
| AC-131           | MS28045-W1 | AIRSPD IND.               |
| AN3201A60        |            | AMMETER                   |
| AN3203V30        |            | VOLTMETER D.C.            |
| AN5530-3A-12     |            | DUAL TACH IND.            |
| AN5770-2-34      |            | DUAL MAN. PRESS. GUAGE    |
| AN5770-T2A-12    |            | DUAL MAN. PRESS. GUAGE    |
| AN5771-2A        |            | OIL PRESSURE GAUGE        |
| AN5771-4B        |            | PRESSURE GAUGE 0-2000 PSI |
| AN5786-1         |            | POSITION XMTR             |
| ANN1282K         |            | SYNCR0 XMTR ASSY          |
| AW-1 7/8-14-CZ   |            | OIL PRESS GAUGE.          |
| AW-1 7/8-14-CZ2  |            | OIL PRESS GAUGE.          |
| AW-1 7/8-14-D1   |            | PRESS GAUGE.              |
| AW-1 7/8-14-DR   |            | OIL PRESS GAUGE.          |
| AW-1 7/8-14-EL   |            | MAN. BLEED GAUGE          |
| AW-1 7/8-14-EL   |            | MAN. BLEED GAUGE          |
| AW-1 7/8-15-BP   |            | FUEL PRESS GAUGE          |
| AW-1 7/8-16-N    |            | PRESSURE GAUGE            |
| AW-1 7/8-17      |            | HYD PRESS. GAUGE          |
| AW-1 7/8-17-CN   |            | HYD PRESS. GAUGE 2000 PSI |
| AW-1 7/8-17-CN13 |            | PRESSURE GAUGE 0-2000 PSI |
| AW-1 7/8-17-CN15 |            | PRESSURE GAUGE            |
| AW-1 7/8-17-CN2  |            | PRESSURE GAUGE            |
| AW-1 7/8-17-CN8  | AN5771-4B  | HYD PRESSURE GAUGE        |
| AW-1 7/8-17-D    |            | HYD PRESSURE GAUGE        |
| AW-1 7/8-17-DAF4 |            | HYD PRESSURE GAUGE        |
| AW-1 7/8-17-DE   |            | HYD PRESSURE GAUGE        |
| AW-1 7/8-21-AK2  |            | SUCTION GAUGE             |
| AW-1 7/8-26-IF4  |            | PRESSURE GAUGE            |
| AW-1 7/8-27-D5   |            | OXY PRESSURE GAUGE        |
| AW-1 7/8-27-E    |            | OXY PRESSURE GAUGE        |
| AW-1 7/8-32-CF4  |            | ABSOLUTE PRESSURE GAUGE   |
| AW-2-14-B        |            | OIL PRESSURE GAUGE        |
| AW-2-15-A        |            | FUEL PRESSURE GAUGE       |
| AW-2-17-J        |            | HYDRAULIC PRESSURE GAUGE  |
| AW-2-31-B2       |            | MANIFOLD PRESSURE GAUGE   |

|                    |             |                           |
|--------------------|-------------|---------------------------|
| AW-2 3/4-16-B16    | 0-400 KNOTS | AIRSPEED IND.             |
| AW-2 3/4-16-B17    | 0-400 KNOTS | AIRSPEED IND.             |
| AW-2-3/4-16-BABF19 |             | AIRSPEED IND. 0-200MPH    |
| AW-2 3/4-16-BCF12  |             | AIRSPEED IND. 200 MPH     |
| AW-2 3/4-16-BD     |             | AIRSPEED IND.             |
| AW-2 3/4-16-BWF12  |             | AIRSPEED IND. 400 KNOTS   |
| AW-2 3/4-16-BYF12  | MS28046-W1  | AIRSPEED IND.             |
| AW-2 3/4-16-D      |             | AIRSPEED IND.             |
| AW-2 3/4-16-X      |             | AIRSPEED IND. 160 KNOTS   |
| AW-2 3/4-16B17     |             | AIRSPEED IND. 400 KNOTS   |
| AW-2 3/4-16BYF12   |             | AIRSPEED IND. 400 KNOTS   |
| AW-2 3/4-20        |             | AIRSPEED IND.             |
| AW-2 3/4-20-B      |             | AIRSPEED IND.             |
| AW-2 3/4-20-C      |             | AIRSPEED IND.             |
| AW-2 3/4-25-H      |             | MANIFOLD PRESSURE GAUGE   |
| AW-2 3/4-25-H2     |             | MANIFOLD PRESSURE GAUGE   |
| AW-2 3/4-25-H3     |             | MANIFOLD PRESSURE GAUGE   |
| AW-2 3/4-25-H4     |             | MANIFOLD PRESSURE GAUGE   |
| AW-2 3/4-25-H5     |             | MANIFOLD PRESSURE GAUGE   |
| AW-2 3/4-25-H8     |             | MANIFOLD PRESSURE IND.    |
| AW-2 3/4-25-N3     |             | MANIFOLD PRESSURE GAUGE   |
| AW-2 3/4-28F       | AN5773-1    | ENGINE GAUGE UNIT         |
| AW1814AB02         |             | OIL PRESSURE GAUGE        |
| AW1814AB09         |             | OIL PRESSURE GAUGE        |
| AW1817AB02         |             | PRESS GAUGE 0-2000 PSI    |
| AW1817AB11         |             | PRESSURE GAUGE            |
| AW1817ACO2         |             | HYD PRESS GAUGE 5000 PSI  |
| AW1817B11          | MS2806176   | PRESS GAUGE.              |
| AW1825ACO1         |             | ABSOLUTE PRESSURE GAUGE   |
| AW1830AB01         |             | PRESSURE GAUGE 0-2000 PSI |
| AW1830AB02         | MS28063-1   | HYD PRESS GAUGE.          |
| AY-1106-15-B1      |             | SYNCRO SMTR.              |
| B0020-24101        |             | ALTIMETER 25K FT.         |
| B08385-10-011      |             | ABSOLUTE PRESSURE GAUGE   |
| B118-135           |             | FUEL QUANTITY IND.        |
| B118-161           |             | FUEL QTY IND.             |
| B118-162           |             | FUEL POWER UNIT IND.      |
| B118-262           |             | FUEL QTY POWER UNIT IND.  |
| B12963-10-010      |             | AIRSPEED IND.             |
| B28934-04-002      |             | ALTIMETER 50K FT          |
| B34671-10-003      |             | AIRSPEED MACH NO. IND.    |
| B367-1             |             | PROP TACH IND.            |
| B4361710001        |             | ALTIMETER                 |
| B4515210003        | AAU-32/A    | ALTIMETER                 |
| B4505200004        |             | ALTIMETER ENCODER         |
| B4515210103        | AAU-32/A    | ALTIMETER                 |
| BO8385-04-013      |             | ABSOLUTE PRESSURE GAUGE   |
| C-14               |             | AIRSPEED IND 300MPH       |
| C28934-10-007      |             | ALTIMETER 35K FT.         |
| C41542-10-003      | AAU-21/A    | ALTIMETER ENCODER         |
| C661033-0101       |             | TURN & BANK IND.          |
| C662008-0101       |             | ENGINE GAUGE UNIT         |

|                  |            |                           |
|------------------|------------|---------------------------|
| CB5KHP           | MS28061-T7 | PRESSURE GAUGE            |
| CON724A28415-301 |            | FUEL QTY IND.             |
| D-103            | AN-5771-2  | OIL PRESS GAUGE.          |
| D-115            |            | FUEL PRESS GAUGE          |
| D-121            | AN5771-6   | PRESS. GAUGE              |
| DSA309           |            | ATTITUDE IND.             |
| E07393-04-034    |            | AIRSPEED IND. 650 KNOT    |
| EA102-10         |            | FUEL QTY IND.             |
| EA1030-796       |            | TANK UNIT                 |
| EA1065AW-2315    |            | OIL QUAN. TANK UNIT.      |
| EA124-29         |            | DUAL FUEL QTY IND.        |
| EA15-5132925     |            | TANK UNIT                 |
| EA15A-82-00128-3 |            | TANK UNIT                 |
| EA1611-189630-2  |            | FUEL QTY TANK UNIT.       |
| EA1611-189726-2  |            | TANK UNIT                 |
| EA1612-189630-1  |            | TANK UNIT                 |
| EA1612-189726-1  |            | FUEL QTY TANK UNIT.       |
| EA173E-2         | AN5786-1   | POSITION XMTR             |
| EA173E-3         |            | POSITION XMTR             |
| EA323-1          |            | FLAP POS IND.             |
| EA323-3          |            | FLAP POS IND.             |
| EA326-20         |            | POSITION IND.             |
| EA326-3          |            | POSITION IND.             |
| EA327-2          |            | POSITION IND.             |
| EA5171-1         |            | AIRSPEED IND. 0-200MPH    |
| EA573A-1         |            | POSITION XMTR             |
| EA7391-10-057    |            | AIRSPEED IND. 650 KNOTS   |
| EG5A-6           |            | FUEL QTY POWER UNIT IND.  |
| EG5B-4           |            | POWER UNIT                |
| EO7241-04-003    |            | TRUE AIRSPEED IND.        |
| E07391-10-057    |            | AIRSPEED IND. 650 KNOTS.  |
| E07393-04-034    |            | AIRSPEED IND. 650 KNOTS.  |
| E07393-10-057    |            | AURSPEED IND. 650 KNOTS.  |
| F212-1           |            | FLAP POS IND.             |
| F71-1A           |            | FLAP POS IND. DUAL        |
| G2930E           |            | PRESSURE GAUGE            |
| G991-01-10       |            | VERTICAL SPEED IND.       |
| H60-050          | MS25038-2  | TACHOMETER GENERATOR.     |
| JG130A63         |            | FUEL QTY IND.             |
| JG130A63MOD      |            | FUEL QTY IND.             |
| JG130C5          |            | OIL QUANTITY IND.         |
| JG131A37         |            | FUEL QTY IND.             |
| JG12A10          |            | FUEL QTY IND.             |
| JG412A4          |            | FUEL QTY IND.             |
| JG412A53         |            | FUEL QTY IND.             |
| JG7019A-25       |            | FUEL QTY IND.             |
| JG7020A72        |            | FUEL QTY IND.             |
| JG7020A74WL      |            | FUEL QTY IND. 0-1750LBS   |
| L-PE-22251-2     |            | 700MPH AIRSPEED IND.      |
| M-18313-12       |            | DUAL MANIFOLD PRESS GUAGE |
| M18313           | AN5770-2   | DUAL MANIFOLD PRESS GUAGE |
| MBEU-52574       |            | ALTIMETER 35K FT.         |

|               |           |                              |
|---------------|-----------|------------------------------|
| MS17983-2     |           | STANDBY COMPASS              |
| MS21971-2     |           | PERCENT TACHOMETER IND.      |
| MS24573-2     |           | RATE OF CLIMB IND.           |
| MS25025-1     |           | LOAD METER                   |
| MS25038-4     |           | TACHOMETER GENERATOR.        |
| MS28005-8     |           | PRESSURE XMTR                |
| MS28009-2     | 000-19596 | MS28009-2 TEMP IND.          |
| MS28024-3     |           | TURN & SLIP IND.             |
| MS28044-1     |           | ALTIMETER 35K FT.            |
| MS28061T6     |           | PRESSURE GAUGE               |
| MS28063T2     |           | 5000PSI PRESS GAUGE          |
| MS28131-17    |           | PRESSURE XMTR.               |
| NE149-0       | MS21971-2 | PERCENT TACHOMETER IND.      |
| P100S2-H1     |           | DIFF. PRESS. SWITCH          |
| PARTS         |           | REPLACEMENT PARTS            |
| R.C.A.2       |           | TURN & BANK IND.             |
| RC-30-V       |           | VERTICAL VELOCITY IND.       |
| RC-30-V-10    |           | VERTICAL VELOCITY IND.       |
| RC-60-MS      |           | RATE OF CLIMB IND 6K FPM     |
| RC-60         | AN5825T7  | RATE OF CLIMB IND.           |
| RCA90-2       | MS17399-1 | RATE GYRO                    |
| S-15-KA       |           | AIRSPEED IND 0-150 KNOTS     |
| S-15-KAW      |           | AIRSPEED IND 0-150 KNOTS     |
| S-25-KAW2     | MS28021-1 | AIRSPEED IND.                |
| S-65-K        |           | AIRSPEED IND. 650 KNOTS      |
| S85-AVU8/A    |           | AIRSPEED IND.                |
| SP5514-10-BEC |           | TACHOMETER IND.              |
| SR-151-A      |           | PRESSURE IND.                |
| SR-4A         |           | AUTOSYN IND.                 |
| ST-104-A      |           | PRESSURE XMTR 500PSI         |
| ST-105-F      |           | PRESSURE XMTR.               |
| ST-106-AD     |           | PRESSURE XMTR.               |
| ST-11G        |           | PRESSURE XMTR. 0-85IN HG ABS |
| ST-2G         |           | PRESSURE XMTR.               |
| ST-4B         | MS28005-2 | PRESSURE XMTR.               |
| ST-4D         |           | PRESSURE XMTR.               |
| ST-4H         | MS28005-3 | PRESSURE XMTR.               |
| ST-4J         | MS28005-2 | PRESSURE XMTR.               |
| ST-54A        |           | PRESSURE XMTR. 5000PSI       |
| ST-5E         |           | MANIFOLD PRESSURE XMTR.      |
| ST-62A        |           | PRESSURE XMTR.               |
| ST-7D         |           | PRESSURE XMTR..              |
| ST-7R         |           | PRESSURE XMTR.               |
| ST-9F         |           | AIR PRESSURE XMTR.           |
| ST106R        |           | PRESSURE XMTR.               |
| ST4N          |           | PRESSURE XMTR. 0-100PSI      |
| ST53A         |           | 0-2500PSI PRESSURE XMTR.     |
| ST54A         |           | PRESSURE XMTR.               |
| ST6B          | MS28005-1 | PRESS XMTR 0-50PSI           |
| ST6C          |           | PRESSURE XMTR. 0-50PSI       |
| ST7R          |           | HYD PRESS XMTR.              |
| T-3837-02     |           | RATE SWITCHING GYRO          |

|               |           |                           |
|---------------|-----------|---------------------------|
| T-95650       |           | REMOTE COMPASS XMTR.      |
| T-95750       |           | REMOTE COMPASS XMTR.      |
| T3837-03      | MS17399-1 | RATE GYRO                 |
| T3837-3       | MS17399-1 | RATE GYRO                 |
| T4040-3       | MSI7399-1 | RATE GYRO                 |
| TG255-002     | MS25038-4 | TACH GEN.                 |
| TM427-39      |           | TURBINE OUTLET TEMP IND.  |
| Z-22.22-A     |           | DUAL CYL HEAD TEMP IND.   |
| Z-22.76       |           | AMMETER                   |
| Z-22.120      |           | AMMETER                   |
| 8DJ19AAB2     |           | DUAL TACH IND.            |
| 8DJ19ABE3     |           | DUAL TACH IND.            |
| 8DJ21AB72     |           | FUEL QTY. IND.            |
| 8DJ26AAK-1    | AN5780-3  | WHL. & FLAP POS. IND.     |
| 8DJ43AAM14    | 931377-1  | TACH IND.                 |
| 8DJ49GAK2     |           | POS. IND.                 |
| 8DJ49GCK2     |           | POS. IND.                 |
| 8DJ64GBH1     |           | FUEL FLOW IND.            |
| AW-2 3/4-25-L |           | MAN. PRESS. GUAGE         |
| AW1-14D2500   |           | PRESS. GUAGE              |
| AW1817AB01    | MS28061T6 | PRESS. GUAGE              |
| AW1821AB01    | MS28061-4 | PRESS. GUAGE              |
| AW2812AH04    | MS28046T1 | 400 KT AIRSPEED           |
| B0101-12101   |           | AIRSPEED IND. 400 KT 2"   |
| SK-40-LC      |           | AIRSPEED IND. MAX ALLOW.  |
| SLZ9066       |           | IVSI VERTICAL SPEED IND.  |
| SLZ9068       |           | INERTIAL VERT. SPEED IND. |
| SLZ9084       |           | IVSI 0-3000 FPM           |
| SLZ9155       |           | VERT. SPEED IND.          |